Contents to volume 237

Discussion Letter

Organization of soluble enzymes in the cell: Relay at the surface (FEB 06279) *A.G. Ryazanov* 1

Research Letters

NMR studies identify four intermediate states of ATPase and the ion transport cycle of sarcoplasmic reticulum Ca^{2+}-ATPase (FEB 06270) *M.R. Klemens, C.M. Grisham* 4

Identification of nucleus-encoded F_0I protein of bovine heart mitochondrial H^+-ATPase as a functional part of the F_0 moiety (FEB 06273) *F. Zanotti, F. Guerrieri, G. Capozza, J. Houštěk, S. Ronchi, S. Papa* 9

Resonance Raman study of the cytochrome P-450 LM2-halothane intermediate complex (FEB 06274) *P. Hildebrandt, H. Garda, A. Stier, M. Stockburger, R.A. Van Dyke* 15

Direct and indirect electron transfer from cytochromes *c* and c_2 to the photosynthetic reaction center in pigment-protein complexes isolated from *Rhodocyclus gelatinosus* (FEB 06266) *K. Matsuura, A. Fukushima, K. Shimada, T. Satoh* 21

Antithrombin action of phosvitin and other phosphate-containing polyanions is mediated by heparin cofactor II (FEB 06269) *F.C. Church, C.W. Pratt, R.E. Treanor, H.C. Whinna* 26

Two changes of the same nucleotide confer resistance to diuron and antimycin in the mitochondrial cytochrome *b* gene of *Schizosaccharomyces pombe* (FEB 06268) *S. Weber, K. Wolf* 31

Binding characteristics of complementary fibronectin fragments on artificial substrata (FEB 06267) *K. Lewandowska, C.S. Kaetzel, L. Zardi, L.A. Culp* 35

The cDNA clone for strictosidine synthase from *Rauvolfia serpentina*: DNA sequence determination and expression in *Escherichia coli* (FEB 06278) *T.M. Kutchan, N. Hampp, F. Lottspeich, K. Beyreuther, M.H. Zenk* 40

Human T cell specific proteinase (HuTSP) is encoded by the T cell and natural killer cell specific human Hanukah factor (HuHF) gene (FEB 06241) *U. Fruth, C. Eckerskorn, F. Lottspeich, M.D. Kramer, M. Prester, M.M. Simon* 45

Effects of long-chain *N*-acylethanolamines on lipid peroxidation in cardiac mitochondria (FEB 06276) *N.L. Parinandi, H.H.O. Schmid* 49

Two ionic forms of exoglucanase in yeast secretory mutants (FEB 06282) *G. Larriba, M. Ramírez, L.M. Hernández, I. Olivero, R.D. Basco* 53

Burning of a narrow spectral hole at 1.7 K in the absorbance band of the primary electron donor of *Rhodopseudomonas viridis* reaction centers with blocked electron transfer (FEB 06215) *V.A. Shuvalov, A.V. Klevanik, A.O. Ganago, A.Ya. Shkuropatov, V.S. Gubanov* 57

Electron-phonon and vibronic structure of absorption spectra of the primary electron donor in reaction centers of *Rhodopseudomonas viridis*, *Rhodobacter sphaeroides* and *Chloroflexus aurantiacus* at 1.7–70 K (FEB 06271) *A.V. Klevanik, A.O. Ganago, A.Ya. Shkuropatov, V.A. Shuvalov* 61

Kinetic studies on the function of A_1 in the photosystem I reaction center (FEB 06277) *P. Mathis, P. Sétif* 65

Optical characterization of the immediate electron donor to chlorophyll a_{II}^+ in O_2-evolving photosystem II complexes: Tyrosine as possible electron carrier between chlorophyll a_{II} and the water-oxidizing manganese complex (FEB 06275) *S. Gerken, K. Brettel, E. Schlodder, H.T. Witt* 69

Design and synthesis of metabolically stable atrial natriuretic factor analogs: Amino- and carboxy-terminal stabilization (FEB 06272) *J.M. Berman, T.-M. Chen, R. Sargent, S.H. Buck, P. Shea, E.F. Heminger, R.J. Broersma* 76

The 'cation-dependent' mannose 6-phosphate receptor binds ligands in the absence of divalent cations (FEB 06280) *U. Junghans, A. Waheed, K. von Figura* 81

500 MHz NMR characterization of synthetic bombesin and related peptides in DMSO-d_6 by two-dimensional techniques (FEB 06281) *C. Di Bello, L. Gozzini, M. Tonellato, M.G. Corradini, G. D'Auria, L. Paolillo, E. Trivellone* 85
L-Tyrosine is the precursor of PQQ biosynthesis in *Hyphomicrobium* X (FEB 06287) *M.A.G. van Kleef, J.A. Duine* 91
Evidence for PQQ as cofactor in 3,4-dihydroxyphenylalanine (dopa) decarboxylase of pig kidney (FEB 06288) *B.W. Groen, R.A. van der Meer, J.A. Duine* 98
Covalent conjugation of mammalian calmodulin with ubiquitin (FEB 06290) *R. Ziegenhagen, P. Gehrke, H.P. Jennissen* 103
A cDNA clone encoding a 10.8 kDa photosystem I polypeptide of barley (FEB 06284) *J.S. Okkels, L.B. Jepsen, L.S. Hønberg, J. Lehmbeck, H.V. Scheller, P. Brandt, G. Høyer-Hansen, B. Stummann, K.W. Henningsen, D. von Wettstein, B.L. Møller* 108
GTP-binding proteins in human platelet membranes serving as the specific substrate of islet-activating protein, pertussis toxin (FEB 06289) *K. Nagata, T. Katada, M. Tohkin, H. Itoh, Y. Kaziro, M. Ui, Y. Nozawa* 113
New carbohydrate site in mutant antithrombin (7 Ile→Asn) with decreased heparin affinity (FEB 06285) *S.O. Brennan, J.-Y. Borg, P.M. George, C. Soria, J. Soria, J. Caen, R.W. Carrell* 118
Globo-A – a new receptor specificity for attaching *Escherichia coli* (FEB 06283) *D. Senior, N. Baker, B. Cedergren, P. Falk, G. Larson, R. Lindstedt, C. Svanborg Edén* 123
Inhibition of HIV replication by amino-sugar derivatives (FEB 06251) *G.W.J. Fleet, A. Karpas, R.A. Dwek, L.E. Fellows, A.S. Tyms, S. Petursson, S.K. Namgoong, N.G. Ramsden, P.W. Smith, J.C. Son, F. Wilson, D.R. Witty, G.S. Jacob, T.W. Rademacher* 128
Inhibition of protein breakdown by glutamine in perfused rat skeletal muscle (FEB 06291) *P.A. MacLennan, K. Smith, B. Weryk, P.W. Watt, M.J. Rennie* 133
Assay of phosphotyrosyl protein phosphatase using synthetic peptide 1142–1153 of the insulin receptor (FEB 06292) *M.J. King, G.J. Sale* 137
A stretch-activated anion channel in tobacco protoplasts (FEB 06294) *L.C. Falke, K.L. Edwards, B.G. Pickard, S. Misler* 141
Phosphorylation-activated chloride channels in human skin fibroblasts (FEB 06303) *C.E. Bear* 145
Unexpected stimulation of mitochondrial ADP-ribosylation by cyanide (FEB 06293) *A. Masmoudi, P. Mandel, A.N. Malviya* 150
A novel quinone: quinone methide isomerase generates quinone methides in insect cuticle (FEB 06300) *S. Saul, M. Sugumaran* 155
Geranylpyrophosphate synthase from cell cultures of *Lithospermum erythrorhizon* (FEB 06305) *L. Heide* 159
Guanine nucleotides stimulate hydrolysis of phosphatidylinositol and polyphosphoinositides in permeabilized Swiss 3T3 cells (FEB 06295) *C.W. Taylor, D.M. Blakeley, K.D. Brown* 163
G_n-proteins are distinct from *ras* p21 and other known low molecular mass GTP-binding proteins in the platelet (FEB 06299) *R.P. Bhullar, R.J. Haslam* 168
C-reactive protein decreases protein phosphorylation in stimulated human neutrophils (FEB 06297) *R. Buchta, R. Gennaro, M. Pontet, M. Fridkin, D. Romeo* 173
Amino acid sequence microheterogeneities of a type I cytokeratin of M_r 51000 from *Xenopus laevis* epidermis (FEB 06302) *W. Hoffmann, S. Sterrer, A. Königstorfer* 178
Expression of the enkephalin precursor gene in rat Sertoli cells: Regulation by follicle-stimulating hormone (FEB 06298) *K. Yoshikawa, T. Aizawa* 183
Processed enzymatically active protease ($p15^{gag}$) of avian retrovirus obtained in an *E. coli* system expressing a recombinant precursor ($Pr25^{lac\text{-}\Delta gag}$) (FEB 06301) *J. Sedláček, P. Štrop, F. Kaprálek, V. Pečenka, V. Kostka, M. Trávníček, J. Říman* 187
Cloning and sequence analysis of a cDNA encoding the β-subunit of mouse β-hexosaminidase (FEB 06304) *B. Bapat, M. Ethier, K. Neote, D. Mahuran, R.A. Gravel* 191
An antiserum to the C-terminus of the Alzheimer amyloid precursor recognizes a soluble 70 kDa protein (FEB 06314) *J. Simpson, C.M. Bladon, C.M. Yates, A.J. Harmar* 196

Persistence of species variation and regional heterogeneity of the apparent molecular masses of benzodiazepine-binding proteins after deglycosylation (FEB 06311) *E. Schmitz, W. Friedl, R. Reichelt, J. Hebebrand* 199

Differential sensitivity to pertussis toxin of 3T3 cells transformed with different oncogenes (FEB 06309) *I. Rey, H. Suarez, F. Lavelle, B. Tocque* 203

Primary and post-irradiation inactivation of the sulfhydryl enzyme malate synthase: correlation of protective effects of additives (FEB 06312) *H. Durchschlag, P. Zipper* 208

Expression of the glyceraldehyde-3-phosphate dehydrogenase gene from the extremely thermophilic archaebacterium *Methanothermus fervidus* in *E. coli*: Enzyme purification, crystallization, and preliminary crystal data (FEB 06313) *S. Fabry, A. Lehmacher, W. Bode, R. Hensel* 213

Nucleotide sequence of cDNA clones encoding the entire precursor polypeptides for subunits IV and V of the photosystem I reaction center from spinach (FEB 06307) *J. Steppuhn, J. Hermans, R. Nechushtai, U. Ljungberg, F. Thümmler, F. Lottspeich, R.G. Herrmann* 218

Partially dephosphorylated phosphopeptide AcSer(P)-Ser(P)-Ser(P) is an excellent substrate for casein kinase-2 (FEB 06308) *F. Meggio, J.W. Perich, R.B. Johns, L.A. Pinna* 225

Processing of the D1 polypeptide of the photosystem II reaction centre and photoactivation of a low fluorescence mutant (LF-1) of *Scenedesmus obliquus* (FEB 06306) *M.A. Taylor, J.C.L. Packer, J.R. Bowyer* 229

Author Index 234

Table of Contents 238

Notes to Authors 241

FEBS NEWS

Change of address (Eur.J.Biochem.)/FEBS Officers/General Secretaries/19th FEBS Meeting (1989)/Advenced Courses 1989/Guidelines for FEBS Course Grants and Fellowships 243